



COMPLETE
CODES

C1



7



STANDAR Ø 15.5mm.

64mm.	71 0030 0101
67mm.	71 0030 0102
61mm.	71 0030 0103

CONICAL Ø 13mm.

64mm.	71 0030 0104
67mm.	71 0030 0105
61mm.	71 0030 0106

6



Cu.

Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Cu. Cr. Zr.


Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016

5



STANDAR (SHORT)


0°	71 1111
22°	71 1211
45°	71 1311



LONG

22°	PE8001-2
-----	----------

4




1 mts.	79 1001
1.1 mts.	79 1002
1.2 mts.	79 1003
1.3 mts.	79 1004

1.8 mts.	79 1009
1.9 mts.	79 1010
2.0 mts.	79 1011
2.2 mts.	79 1012

(WOS: 79 40**)

1.4 mts.	79 1005
1.5 mts.	79 1006
1.6 mts.	79 1007
1.7 mts.	79 1008



1 mts.	79 1301
1.1 mts.	79 1302
1.2 mts.	79 1303
1.3 mts.	79 1304

1.8 mts.	79 1309
1.9 mts.	79 1310
2.0 mts.	79 1311
2.2 mts.	79 1312


(WOS: 79 43**)

1.4 mts.	79 1305
1.5 mts.	79 1306
1.6 mts.	79 1307
1.7 mts.	79 1308


3



0°	74 0100
----	---------




23°	74 0200
-----	---------



REG.	74 0300
------	---------

2



MEDIUM	75 0000
LOW	75 0001
HIGH	75 0002

1



ABB / FANUC / MOTOMAN	
Ø40mm.	77 0001

KUKA / REIS

Ø50mm.	77 0002
--------	---------

SPARE PARTS



71 0020 13



71 1010 04




STANDAR

Ø0.8-1.0mm.	71 0022
Ø1.0-1.2mm.	71 0032
Ø1.2-1.6mm.	71 0042

ALUM-SLIDER

Ø0.8-1.0mm.	71 0026
Ø1.0-1.2mm.	71 0036
Ø1.2-1.6mm.	71 0046



STANDAR

Ø0.8-1.0mm.	PE80012508
Ø1.0-1.2mm.	PE80012510
Ø1.2-1.6mm.	PE80012512

ALUM-SLIDER

Ø0.8-1.0mm.	PE80012608
Ø1.0-1.2mm.	PE80012610
Ø1.2-1.6mm.	PE80012612

8 OPTIONS:



70 3000



71 0020 00TC



70 4000

RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
200 A	182 A	0.6 - 1.0	8 - 15

6



STANDAR Ø 15.5mm.

64mm.	71 0030 0101
67mm.	71 0030 0102
61mm.	71 0030 0103

CONICAL Ø 13mm.

64mm.	71 0030 0104
67mm.	71 0030 0105
61mm.	71 0030 0106

5



Cu.

Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Cu. Cr. Zr.

Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016

----- SPARE PARTS -----



71 0020 13 71 1010 04



STANDAR

Ø0.8-1.0mm.	71 0022
Ø1.0-1.2mm.	71 0032
Ø1.2-1.6mm.	71 0042

ALUM-SLIDER

Ø0.8-1.0mm.	71 0026
Ø1.0-1.2mm.	71 0036
Ø1.2-1.6mm.	71 0046




STANDAR

Ø0.8-1.0mm.	PE80012508
Ø1.0-1.2mm.	PE80012510
Ø1.2-1.6mm.	PE80012512

ALUM-SLIDER


Ø0.8-1.0mm.	PE80012608
Ø1.0-1.2mm.	PE80012610
Ø1.2-1.6mm.	PE80012612

4



STANDAR (SHORT)

0°	71 1111
22°	71 1211
45°	71 1311



LONG

22°	PE8001-2
-----	----------

3



79 1200 ****

**** LONG mm - Example:

1.00mts = 75 1200 1000

1.01mts = 75 1200 1010 ...



79 1201 ****


**** LONG mm - Example:

1.00mts = 75 1201 1000

1.01mts = 75 1201 1010 ...

(PAP 75 1202 ****)

2



WITH Anticollision

75 1000



WITHOUT Anticollision

75 2000

1



MTMN Ø56 77 1001

KUKA Ø58 77 1004

KUKA Ø66 77 1005



MOTOMAN 79 0200 10




FANUC 77 1006



ABB Ø63 77 1002



ABB 79 0200 11



FANUC 77 1003

7 OPTIONS:



70 3000



71 0020 00TC



70 4000