



COMPLETE  
CODES

C2RS



7



CONICAL Ø 13.5mm.	
49mm.	71 0020 0107

SUPERCONICAL Ø 11mm.	
55mm.	71 0020 0108

6



Cu.	
Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Cu. Cr. Zr.	
Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016


----- SPARE PARTS



71 2030 14



71 0021 03



**STANDAR**


Ø0.8-1.0mm.	71 0122
Ø1.0-1.2mm.	71 0132
Ø1.2-1.6mm.	71 0142

**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0126
Ø1.0-1.2mm.	71 0136
Ø1.2-1.6mm.	71 0146


RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
400 A	<b>325 A</b>	0.6 - 1.6	8 - 20

5



0°	71 2134
22° FR	71 2234
45°	71 2334

4




1 mts.	79 2001
1.1 mts.	79 2002
1.2 mts.	79 2003
1.3 mts.	79 2004

1.8 mts.	79 2009
1.9 mts.	79 2010
2.0 mts.	79 2011
2.2 mts.	79 2012

(WOS: 79 30\*\*)

Compatible FRONIUS: No steps 1 and 2  
Step 3 if necessary: PE9007  
COD: 79 22\*\*

1.4 mts.	79 2005
1.5 mts.	79 2006
1.6 mts.	79 2007
1.7 mts.	79 2008



1 mts.	79 2301
1.1 mts.	79 2302
1.2 mts.	79 2303
1.3 mts.	79 2304

1.8 mts.	79 2309
1.9 mts.	79 2310
2.0 mts.	79 2311
2.2 mts.	79 2312


(WOS: 79 33\*\*)

1.4 mts.	79 2305
1.5 mts.	79 2306
1.6 mts.	79 2307
1.7 mts.	79 2308


3



0°	74 0100
----	---------




23°	74 0200
-----	---------



REG.	74 0300
------	---------

2



MEDIUM	75 0000
LOW	75 0001
HIGH	75 0002

1



ABB / FANUC / MOTOMAN	
Ø40mm.	77 0001

KUKA / REIS	
Ø50mm.	77 0002

## 8 OPTIONS:



70 3000



71 0020 00TC



70 4000

RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
400 A	<b>325 A</b>	0.6 - 1.6	8 - 20

6



**CONICAL Ø 13.5mm.**

49mm.	71 0020 0107
-------	--------------

**SUPERCONICAL Ø 11mm.**

55mm.	71 0020 0108
-------	--------------

5



**Cu.**

Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

**Cu. Cr. Zr.**

Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016

----- SPARE PARTS



71 2030 14



71 0021 03




**STANDAR**

Ø0.8-1.0mm.	71 0122
Ø1.0-1.2mm.	71 0132
Ø1.2-1.6mm.	71 0142

**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0126
Ø1.0-1.2mm.	71 0136
Ø1.2-1.6mm.	71 0146

4



0°	71 2134
22° FR	71 2234
45°	71 2334

3



**79 5000 \*\*\*\***

\*\*\*\* LONG mm - Example:

1.00mts = 75 5000 1000

1.01mts = 75 5000 1010 ...



**79 5001 \*\*\*\***


\*\*\*\* LONG mm - Example:

1.00mts = 75 5001 1000

1.01mts = 75 5001 1010 ...

(PAP 75 5002 \*\*\*\*)

2



**WITH Anticollision**

75 1000



**WITHOUT Anticollision**

75 2000

1



MTMN Ø56 77 1001

KUKA Ø58 77 1004

KUKA Ø66 77 1005



MOTOMAN 79 0200 10




FANUC 77 1006



ABB Ø63 77 1002



ABB 79 0200 11



FANUC 77 1003

**7 OPTIONS:**



70 3000



71 0020 00TC



70 4000