



COMPLETE
CODES

C2W



RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
400 A	325 A	0.6 - 1.6	8 - 20

7



STANDAR Ø 15.5mm.

64mm.	71 0030 0101
67mm.	71 0030 0102
61mm.	71 0030 0103

CONICAL Ø 13mm.

64mm.	71 0030 0104
67mm.	71 0030 0105
61mm.	71 0030 0106

6




Cu.

Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Cu. Cr. Zr.

Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016

5



STANDAR (SHORT)


0°	71 2131
22°	71 2231
22° FR	71 2233
45°	71 2331



LONG

22°	71 2232
-----	---------

4




1 mts.	79 2001
1.1 mts.	79 2002
1.2 mts.	79 2003
1.3 mts.	79 2004

1.8 mts.	79 2009
1.9 mts.	79 2010
2.0 mts.	79 2011
2.2 mts.	79 2012

(WOS: 79 30**)

Compatible FRONIUS: No steps 1 and 2
Step 3 if necessary: PE9007
COD: 79 22**

1.4 mts.	79 2005
1.5 mts.	79 2006
1.6 mts.	79 2007
1.7 mts.	79 2008



1 mts.	79 2301
1.1 mts.	79 2302
1.2 mts.	79 2303
1.3 mts.	79 2304

1.8 mts.	79 2309
1.9 mts.	79 2310
2.0 mts.	79 2311
2.2 mts.	79 2312

(WOS: 79 33**)

1.4 mts.	79 2305
1.5 mts.	79 2306
1.6 mts.	79 2307
1.7 mts.	79 2308


3



0°	74 0100
----	---------



23°	74 0200
-----	---------



REG.	74 0300
------	---------

2



MEDIUM	75 0000
LOW	75 0001
HIGH	75 0002

1



ABB / FANUC / MOTOMAN	
Ø40mm.	77 0001

KUKA / REIS

Ø50mm.	77 0002
--------	---------

SPARE PARTS



71 0020 13



71 2030 04



STANDAR

Ø0.8-1.0mm.	71 0022
Ø1.0-1.2mm.	71 0032
Ø1.2-1.6mm.	71 0042

ALUM-SLIDER

Ø0.8-1.0mm.	71 0026
Ø1.0-1.2mm.	71 0036
Ø1.2-1.6mm.	71 0046



STANDAR

Ø0.8-1.0mm.	71 0024
Ø1.0-1.2mm.	71 0034
Ø1.2-1.6mm.	71 0044

ALUM-SLIDER

Ø0.8-1.0mm.	71 0028
Ø1.0-1.2mm.	71 0038
Ø1.2-1.6mm.	71 0048

8 OPTIONS:



70 3000



71 0020 00TC



70 4000

RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
400 A	325 A	0.6 - 1.6	8 - 20

6



STANDAR Ø 15.5mm.

64mm.	71 0030 0101
67mm.	71 0030 0102
61mm.	71 0030 0103

CONICAL Ø 13mm.

64mm.	71 0030 0104
67mm.	71 0030 0105
61mm.	71 0030 0106

5




Cu.

Ø0.6mm.	71 0020 0006
Ø0.8mm.	71 0020 0008
Ø0.9mm.	71 0020 0009
Ø1.0mm.	71 0020 0010
Ø1.2mm.	71 0020 0012
Ø1.4mm.	71 0020 0014
Ø1.6mm.	71 0020 0016

Cu. Cr. Zr.


Ø0.6mm.	71 0120 0006
Ø0.8mm.	71 0120 0008
Ø0.9mm.	71 0120 0009
Ø1.0mm.	71 0120 0010
Ø1.2mm.	71 0120 0012
Ø1.4mm.	71 0120 0014
Ø1.6mm.	71 0120 0016

4



STANDAR (SHORT)

0°	71 2131
22°	71 2231
22° FR	71 2233
45°	71 2331



LONG

22°	71 2232
-----	---------

3



79 5000 ****

**** LONG mm - Example:
1.00mts = 75 5000 1000
1.01mts = 75 5000 1010 ...




79 5001 ****

**** LONG mm - Example:
1.00mts = 75 5001 1000
1.01mts = 75 5001 1010 ...

(PAP 75 5002 ****)

2



WITH Anticollision

75 1000



WITHOUT Anticollision

75 2000

1



MTMN Ø56	77 1001
KUKA Ø58	77 1004
KUKA Ø66	77 1005



MOTOMAN	79 0200 10
---------	------------




FANUC	77 1006
-------	---------



ABB Ø63	77 1002
---------	---------



ABB	79 0200 11
-----	------------



FANUC	77 1003
-------	---------

SPARE PARTS



71 0020 13



71 2030 04



STANDAR

Ø0.8-1.0mm.	71 0022
Ø1.0-1.2mm.	71 0032
Ø1.2-1.6mm.	71 0042

ALUM-SLIDER

Ø0.8-1.0mm.	71 0026
Ø1.0-1.2mm.	71 0036
Ø1.2-1.6mm.	71 0046



STANDAR

Ø0.8-1.0mm.	71 0024
Ø1.0-1.2mm.	71 0034
Ø1.2-1.6mm.	71 0044

ALUM-SLIDER

Ø0.8-1.0mm.	71 0028
Ø1.0-1.2mm.	71 0038
Ø1.2-1.6mm.	71 0048

7 OPTIONS:



70 3000



71 0020 00TC



70 4000