




COMPLETE  
CODES

C6W



RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
600 A	<b>525 A</b>	0.8 - 2.4	8 - 20

7



**LONG. 13mm.**

Ø15.5mm.	71 2060 1001
Ø18mm.	71 2060 1002
Ø21mm.	71 2060 1003

6




**Cu.**

Ø0.8mm.	71 0000 0008
Ø0.9mm.	71 0000 0009
Ø1.0mm.	71 0000 0010
Ø1.2mm.	71 0000 0012
Ø1.4mm.	71 0000 0014
Ø1.6mm.	71 0000 0016
Ø2.4mm.	71 0000 0024

**Cu. Cr. Zr.**

Ø0.8mm.	71 0100 0008
Ø0.9mm.	71 0100 0009
Ø1.0mm.	71 0100 0010
Ø1.2mm.	71 0100 0012
Ø1.4mm.	71 0100 0014
Ø1.6mm.	71 0100 0016
Ø2.4mm.	71 0100 0024



SPARE PARTS




**STANDAR**

Ø0.8-1.0mm.	71 0021
Ø1.0-1.2mm.	71 0031
Ø1.2-1.6mm.	71 0041




**STANDAR**

Ø0.8-1.0mm.	71 0023
Ø1.0-1.2mm.	71 0033
Ø1.2-1.6mm.	71 0043




**STANDAR**

Ø0.8-1.0mm.	PE800509
Ø1.0-1.2mm.	PE800510
Ø1.2-1.6mm.	PE800511




**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0025
Ø1.0-1.2mm.	71 0035
Ø1.2-1.6mm.	71 0045



**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0027
Ø1.0-1.2mm.	71 0037
Ø1.2-1.6mm.	71 0047



**ALUM-SLIDER**

Ø0.8-1.0mm.	PE800512
Ø1.0-1.2mm.	PE800513
Ø1.2-1.6mm.	PE800514

5




**STANDAR**

0°	71 2161
22°	71 2261
45°	71 2361



**LONG**


22°	71 2262
-----	---------



**SHORT**

0°	PE8005
----	--------

4




1 mts.	79 2001
1.1 mts.	79 2002
1.2 mts.	79 2003
1.3 mts.	79 2004

1.8 mts.	79 2009
1.9 mts.	79 2010
2.0 mts.	79 2011
2.2 mts.	79 2012

(WOS: 79 30\*\*)  
Compatible FRONIUS: No steps 1 and 2  
Step 3 if necessary: PE9007  
COD: 79 22\*\*

1.4 mts.	79 2005
1.5 mts.	79 2006
1.6 mts.	79 2007
1.7 mts.	79 2008



1 mts.	79 2301
1.1 mts.	79 2302
1.2 mts.	79 2303
1.3 mts.	79 2304

1.8 mts.	79 2309
1.9 mts.	79 2310
2.0 mts.	79 2311
2.2 mts.	79 2312


(WOS: 79 33\*\*)

1.4 mts.	79 2305
1.5 mts.	79 2306
1.6 mts.	79 2307
1.7 mts.	79 2308


3



0°	74 0100
----	---------




23°	74 0200
-----	---------



REG.	74 0300
------	---------

2



MEDIUM	75 0000
LOW	75 0001
HIGH	75 0002

1



<b>ABB / FANUC / MOTOMAN</b>	
Ø40mm.	77 0001

<b>KUKA / REIS</b>	
Ø50mm.	77 0002

8 OPTIONS:



70 3000



71 0000 00TC



70 4000




70 3203



RATING (A) 100 %		WIRE Ø	GAS VOL.
CO2	MIXED (AR+20%CO2)	mm.	l/min.
600 A	<b>525 A</b>	0.8 - 2.4	8 - 20

6



**LONG. 13mm.**

Ø15.5mm.	71 2060 1001
Ø18mm.	71 2060 1002
Ø21mm.	71 2060 1003

5





**Cu.**

Ø0.8mm.	71 0000 0008
Ø0.9mm.	71 0000 0009
Ø1.0mm.	71 0000 0010
Ø1.2mm.	71 0000 0012
Ø1.4mm.	71 0000 0014
Ø1.6mm.	71 0000 0016
Ø2.4mm.	71 0000 0024

**Cu. Cr. Zr.**

Ø0.8mm.	71 0100 0008
Ø0.9mm.	71 0100 0009
Ø1.0mm.	71 0100 0010
Ø1.2mm.	71 0100 0012
Ø1.4mm.	71 0100 0014
Ø1.6mm.	71 0100 0016
Ø2.4mm.	71 0100 0024



----- SPARE PARTS -----




**STANDAR**

Ø0.8-1.0mm.	71 0021
Ø1.0-1.2mm.	71 0031
Ø1.2-1.6mm.	71 0041



**STANDAR**

Ø0.8-1.0mm.	71 0023
Ø1.0-1.2mm.	71 0033
Ø1.2-1.6mm.	71 0043



**STANDAR**

Ø0.8-1.0mm.	PE800509
Ø1.0-1.2mm.	PE800510
Ø1.2-1.6mm.	PE800511

**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0025
Ø1.0-1.2mm.	71 0035
Ø1.2-1.6mm.	71 0045

**ALUM-SLIDER**

Ø0.8-1.0mm.	71 0027
Ø1.0-1.2mm.	71 0037
Ø1.2-1.6mm.	71 0047

**ALUM-SLIDER**

Ø0.8-1.0mm.	PE800512
Ø1.0-1.2mm.	PE800513
Ø1.2-1.6mm.	PE800514

4




**STANDAR**

0°	71 2161
22°	71 2261
45°	71 2361



**LONG**

22°	71 2262
-----	---------



**SHORT**

0°	PE8005
----	--------

3



**79 5000 \*\*\*\***

\*\*\*\* LONG mm - Example:

1.00mts = 75 5000 1000

1.01mts = 75 5000 1010 ...



**79 5001 \*\*\*\***


\*\*\*\* LONG mm - Example:

1.00mts = 75 5001 1000

1.01mts = 75 5001 1010 ...

(PAP 75 5002 \*\*\*\*)

2



**WITH Anticollision**

75 1000




**WITHOUT Anticollision**

75 2000

1



MTMN Ø56	77 1001
KUKA Ø58	77 1004
KUKA Ø66	77 1005



MOTOMAN	79 0200 10
---------	------------




FANUC	77 1006
-------	---------



ABB Ø63	77 1002
---------	---------




ABB	79 0200 11
-----	------------




FANUC	77 1003
-------	---------

7 OPTIONS:



70 3000



71 0000 00TC



70 4000



70 3203